

CLASS 1

# Building Product Information Sheet

Product name:

NZCDS Drywall Screws

Product line (the product line from which the product is customised):

Fasteners - Screws - Yellow Zinc

Product description and its intended use (measurements, materials, usage):

NZCDS drywall screws are used to fasten drywall and ceiling linings to timber and light gauge steel in an internal dry environment.

NZCDS Coarse Thread #6 x 25mm, 32mm, 41mm  
NZCDS Fine Thread #6 x 25mm, 32mm, 41mm

Product identifier (if applicable):

Product code as per packaging

Place of manufacture:  Aotearoa New Zealand  Overseas

Legal and trading name of the manufacturer(s):

Deench Corp

Legal and trading name of the importer (if applicable):

Kyocera Senco NZ Ltd

Address for service:

STREET NAME Ellice Road SUBURB Glenfield

CITY, COUNTRY Auckland POSTCODE 0629

Website:

www.senco.co.nz

Email address:

nzsales@kyocera-senco.com

Phone No. (if applicable):

094449424

NZBN (if applicable):

9429030495319

Relevant Building Code clauses:

**B1 Structure:**

Performance Clauses B1.3.1, B1.3.2, B1.3. (a), (b), (c), (f), (h), (i) and B1.3.4 (a), (b), (d).

**B2 Durability:**

Performance Clauses B2.3.1 (a) (i), (ii), and (iii), and B23.2.

Statement on how the building product is expected to contribute to compliance:

**B1 Structure:** NZCDS drywall screws have been independently tested to P21 Wall Bracing Test and evaluated to provide bracing resistance to earthquake and windload forces.

**B2 Durability:** NZCDS drywall screws have a durability of at least 50 years when installed in a dry internal environment while remaining dry in service.

- *options for compliance set out in section 19 of the Act (regulations, acceptable solution, verification method)*
- *standard or technical document that describes the performance of the building product or the relevant specifications to which the building product was manufactured*
- *physical properties of the building product*
- *how the building product is intended to be used.*

Limitations on the use of the building product:

NZCDS Drywall Screws must be installed in a dry internal environment and must remain dry in service. These fasteners are not designed for use in external or unprotected environments.

Design requirements that would support the use of the building product:

Installation requirements:

Installation is to be carried out by experienced tradesperson familiar with drywall intallation and NZ Building Code

Maintenance requirements:

Is the building product/building product line subject to warning or ban under section 26?:

Yes  No

If yes, description of the warning or ban under section 26:

Date:

|   |  |   |  |   |  |   |  |   |  |   |
|---|--|---|--|---|--|---|--|---|--|---|
| D |  | D |  | M |  | M |  | Y |  | Y |
|---|--|---|--|---|--|---|--|---|--|---|