

Material Safety Data Sheet

Page: 1 of 3

Infosafe No. 2RLL9

Issue Date : May 2023

ISSUED by RLA

Product Name: **NZ CEILING & DRYWALL SUPPLIES Acrylic Stud Adhesive**

Not classified as hazardous

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product Name: NZCDS Acrylic Stud Adhesive
Product Use: A water based synthetic polymer adhesive, used to bond plasterboard to timber and metal studs for wall and ceiling lining.
Company Name: RLA POLYMERS PTY. LTD. (ABN 004 709 915)
Address: 215 COLCHESTER ROAD KILSYTH. VIC. 3137
Emergency Tel: AH (03) 9270 5700
Telephone/Fax: Tel: (03) 9728 1644 Fax: (03) 9728 6009
Other Information: This MSDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Synthetic polymer emulsion	–	20 - 60 %
	Biocide	–	1 - 2 %

3. HAZARDS IDENTIFICATION

NZCDS STUD ADHESIVE IS NOT CLASSIFIED AS HAZARDOUS.

Ingestion: Ingestion may cause nausea and vomiting.
Skin: Repeated or prolonged skin contact may cause irritation.
Eye: Can cause soreness. A mild eye irritant.

4. FIRST AID MEASURES

Inhalation: Move victim to fresh air. Seek medical attention if effects persist.
Ingestion: Rinse mouth thoroughly with water. Give plenty of water, do not induce vomiting. Seek medical attention.
Skin: Wash off skin with warm soapy water.
Eye: Immediately irrigate with copious quantity of water for at least 15 minutes. Hold eye lids open. Seek medical attention.
Advice to Doctor: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Specific Hazards: Only the dried residue may burn in the presence of an ignition source.
Flammability: Non flammable in paste form.

6. ACCIDENTAL RELEASE MEASURES

Spills & Disposal: Scrape up spills into waste container and allow to harden. Prevent contamination of waterways.

Material Safety Data Sheet

Page: 2 of 3

Infosafe No. 2RLL9

Issue Date : May 2023

ISSUED by RLA

Product Name: **NZ CEILING & DRYWALL SUPPLIES Acrylic Stud Adhesive**

Not classified as hazardous

7. HANDLING AND STORAGE

Storage: Store in a cool area out of direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Use safety glasses, especially when applying to ceilings.

Hand Protection: Rubber gloves to avoid skin contact.

Eng. Controls: Use with adequate ventilation

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Non-flowable paste

Melting Point: Not applicable

Boiling Point: Not applicable

Solubility in Water: Completely dispersable

Specific Gravity: 1.35 - 1.45 (H₂O=1)

pH Value: Typically 7.5 - 8.5

Vapour Pressure: Not applicable

Physical State: Semi-solid paste

Viscosity: Brookfield viscometer, rvt, helipath: 1,000,000 cps@25 deg.C

Colour: Blue

Flammability: Non flammable in paste form

10. STABILITY AND REACTIVITY

This product is stable when stored under normal storage conditions.

Store away from incompatible materials.

11. TOXICOLOGICAL INFORMATION

Ingestion: Ingestion may cause nausea and vomiting

Skin: Repeated or prolonged skin contact may cause irritation

Eye: Can cause soreness. A mild eye irritant.

12. ECOLOGICAL INFORMATION

Avoid contaminating drains and waterways.

13. DISPOSAL CONSIDERATIONS

Dispose of according to local government regulations.

Material Safety Data Sheet

Page: 3 of 3

Infosafe No. 2RLL9

Issue Date : May 2023

ISSUED by RLA

Product Name: **NZ CEILING & DRYWALL SUPPLIES Acrylic Stud Adhesive**

Not classified as hazardous

14. TRANSPORT INFORMATION

Not classified as hazardous.
Transport in original container.

U.N. Number: None Allocated
Proper Shipping Name: None Allocated
DG Class: None Allocated
Hazchem Code: None Allocated
Packing Group: None Allocated

15. REGULATORY INFORMATION

Poisons Schedule Not Scheduled

16. OTHER INFORMATION

Contact: **In Australia:** RLA Polymers Pty. Ltd. –
Group Operations Manager: 03 9728 1644 (Business Hours)
For emergency information outside normal business hours, please ring:
SECURITY MONITORING 13 15 18 They will contact the relevant
personnel.

In NZ: RLA Polymers (NZ) Ltd –
Business Hours: (09) 267 2772
After Hours: Technical Manager 0274 868 862

The information herein is given in good faith, but subject to the Trade
Practices Act 1974, no warranty, expressed or implied, is made.

Last update: August 2012

...End Of MSDS...